		SAFET	Y DATA SHEET			
	ассо	rding to Regulation (E	EC) No 1907/2006 (REACH) as amended			
		EXCELL	YSE Easy (RUO)			
Creati	ion date 21	st July 2023	Revision no.			
Revisi	on date		Version 1			
SECT	ION 1: Identification of th	e substance/mixtur	e and of the company/undertaking			
l <b>.1</b> .	Product identifier		EXCELLYSE Easy (RUO)			
	Substance / mixture		mixture			
	Number		ED7780			
L <b>.2.</b>	Relevant identified uses	of the substance or	r mixture and uses advised against			
	Mixture's intended use					
		<ol> <li>It is not intended for</li> </ol>	r diagnostic or therapeutic use.			
	The use descriptors					
	SU 24		ch and development			
	PC 21	Laboratory chem				
	PROC 15	Use as laborator	ry reagent			
	Mixture uses advised ag		on these referred in Castion 1			
L.3.	The product should not be used in ways other than those referred in Section 1. <b>Details of the supplier of the safety data sheet</b>					
	Manufacturer	i the salety data sh				
	Name or trade name	2	EXBIO Praha, a.s.			
	Address		Nad Safinou II / 341, Vestec, 25250			
	7.661.665		Czech Republic			
	Phone		+420261090666			
	E-mail		orders@exbio.cz			
	Web address		www.exbio.cz			
	Competent person resp	onsible for the safet	y data sheet			
	Name		EXBIO Praha, a.s.			
	E-mail		orders@exbio.cz			
.4.	Emergency telephone n					
	National Health Service (N		NUC 24. 111			
	National poisoning informa	ition centre Scotland,	NH5 24: 111			

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Acute Tox. 4, H302+H312+H332 Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 STOT SE 3, H335 Muta. 2, H341 Carc. 1B, H350 STOT SE 2, H371 STOT RE 2, H373 (kidneys) (ingestion)

Full text of all classifications and hazard statements is given in the section 16.

#### Most serious adverse effects on human health and the environment

May cause damage to the kidneys through prolonged or repeated exposure if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation. May cause cancer. Suspected of causing genetic defects. May cause damage to organs. Harmful if swallowed, in contact with skin or if inhaled.

		SAFET	Y DATA SHEET
		according to Regulation (	EC) No 1907/2006 (REACH) as amended
		EXCELL	YSE Easy (RUO)
Creat	ion date	21st July 2023	Revision no.
Revisi	ion date		Version 1
2.2.	Label elements		
2.2.	Hazard pictogram		
		<b>!</b> >	
	Signal word Danger		
	Hazardous substan	ces	
	2,2'-oxybisethanol formaldehyde% methanol		
	Hazard statements		
	H315	Causes skin irr	itation.
	H317	May cause an a	allergic skin reaction.
	H319	Causes serious	eye irritation.
	H335	May cause resp	piratory irritation.
	H341	Suspected of c	ausing genetic defects.
	H350	May cause can	cer.
	H371	May cause dam	nage to organs.
	H373	May cause dam swallowed.	nage to the kidneys through prolonged or repeated exposure if
	H302+H312+H332	Harmful if swal	llowed, in contact with skin or if inhaled.
	Precautionary state	ements	
	P201		instructions before use.
	P260	Do not breathe	•
	P264		nd exposed parts of the body thoroughly after handling.
	P280		e gloves/eye protection/face protection.
	P301+P312		D: Call a POISON CENTER/doctor if you feel unwell.
	P302+P352		ash with plenty of water and soap.
	P305+P351+P338	lenses, if prese	nse cautiously with water for several minutes. Remove contact ent and easy to do. Continue rinsing.
	P308+P313	IF exposed or o	concerned: Get medical advice/attention.
	P314	Get medical ad	lvice/attention if you feel unwell.
	P333+P313	If skin irritation	n or rash occurs: Get medical advice/attention.

## 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

according to Regulation (EC) No 1907/2006 (REACH) as amended

## EXCELLYSE Easy (RUO)

Creation date Revision date Revision no. Version

1

## SECTION 3: Composition/information on ingredients

21st July 2023

## 3.2. Mixtures

# Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-140-00-6 CAS: 111-46-6 EC: 203-872-2 Registration number: 01-2119457857-21- XXXX	2,2'-oxybisethanol	20-30	Acute Tox. 4, H302 STOT RE 2, H373 (kidneys) (ingestion)	3
Index: 605-001-00-5 CAS: 50-00-0 EC: 200-001-8	formaldehyde%	<13	Acute Tox. 3, H301+H311+H331 Skin Corr. 1B, H314 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350 Specific concentration limit: Skin Corr. 1B, H314: $C \ge 25 \%$ Skin Irrit. 2, H315: $5 \% \le C < 25 \%$ Skin Sens. 1, H317: $C \ge 0.2 \%$ Eye Irrit. 2, H319: $5 \% \le C < 25 \%$ STOT SE 3, H335: $C \ge 5 \%$	1, 2, 3, 4
Index: 603-001-00-X CAS: 67-56-1 EC: 200-659-6	methanol	<4	Flam. Liq. 2, H225 Acute Tox. 3, H301+H311+H331 STOT SE 1 (**), H370 Specific concentration limit: STOT SE 1, H370: $C \ge 10 \%$ STOT SE 2, H371: 3 % $\le C < 10$ %	3, 4

#### Notes

\*\* another exposure route cannot be ruled out

- 1 Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
- 2 Note D: Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3 of Annex VI to Regulation (EC) No 1272/2008. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier who places such a substance on the market must state on the label the name of the substance followed by the words "non-stabilised".
- 3 A substance for which exposure limits are set.
- 4 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

according to Regulation (EC) No 1907/2006 (REACH) as amended

## EXCELLYSE Easy (RUO)

Creation date Revision date Revision no. Version

1

## If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

## If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

## If swallowed

Provide medical treatment. For persons with no symptoms, call the Toxicological Information Centre to decide about the need of medical treatment; provide information about the substances or composition of the product from the original packaging or the Safety Data Sheet of the product.

### 4.2. Most important symptoms and effects, both acute and delayed

21st July 2023

### If inhaled

Cough, headache. May cause respiratory irritation.

If on skin

May cause an allergic skin reaction.

## If in eyes

Causes serious eye irritation.

If swallowed

Irritation, nausea.

# **4.3.** Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

## Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

## Unsuitable extinguishing media

Water - full jet.

## 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

## 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

## 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

## 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

## 6.4. Reference to other sections

See the Section 7, 8 and 13.

according to Regulation (EC) No 1907/2006 (REACH) as amended

## EXCELLYSE Easy (RUO)

Creation date Revision date Revision no. Version

1

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not eat, drink or smoke when using this product. Wash hands and exposed parts of the body thoroughly after handling. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

## 7.2. Conditions for safe storage, including any incompatibilities

21st July 2023

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up. Keep container tightly closed.

## 7.3. Specific end use(s)

For research purposes only. It is not intended for diagnostic or therapeutic use.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

United Kingdom	EH40/2005 Wo	orkplace exposi	are limits (Fourth Edition 2020)
Substance name (component)	Туре	Value	Note
	WEL 8h	101 mg/m <sup>3</sup>	
2,2'-oxybisethanol (CAS: 111-46-6)	WEL 8h	23 ppm	
	WEL 8h	2,5 mg/m <sup>3</sup>	
formaldehyde = 0/(CAS, E0.00.0)	WEL 8h	2 ppm	
formaldehyde% (CAS: 50-00-0)	WEL 15min	2,5 mg/m <sup>3</sup>	
	WEL 15min	2 ppm	
	WEL 8h	266 mg/m³	
	WEL 8h	200 ppm	Can be absorbed through the skin. The assigned substances are those for which there are
methanol (CAS: 67-56-1)	WEL 15min	333 mg/m <sup>3</sup>	concerns that dermal absorption will lead to systemic toxicity.
	WEL 15min	250 ppm	

according to Regulation (EC) No 1907/2006 (REACH) as amended

## EXCELLYSE Easy (RUO)

Creation date Revision date Revision no. Version

1

## 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

## Eye/face protection

Protective goggles.

## Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

### **Respiratory protection**

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

## Thermal hazard

## Not available.

## **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

21st July 2023

Appearance	
physical state	liquid at 20 °C
color	colourless
Odour	characteristic, sweet / pungent
рН	data not available
Melting point/freezing point	data not available
Initial boiling point and boiling range	64.7 - 245 °C
Flash point	data not available
Flammability (solid, gas)	data not available
Upper/lower flammability or explosive limits	
explosive limits	data not available
Vapour pressure	data not available
Solubility(ies)	
solubility in water	soluble
Partition coefficient: n-octanol/water	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
Viscosity	
Kinematic viscosity	data not available
Other information	
not available	

#### SECTION 10: Stability and reactivity

## 10.1. Reactivity

9.2.

not available

10.2. Chemical stability The product is stable under normal conditions.
10.3. Possibility of hazardous reactions

Unknown.

according to Regulation (EC) No 1907/2006 (REACH) as amended

## EXCELLYSE Easy (RUO)

Creation date Revision date Revision no. Version

1

#### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

## 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

21st July 2023

## **10.6.** Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

### **SECTION 11:** Toxicological information

#### 11.1. Information on toxicological effects

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

### Acute toxicity

May cause damage to organs. Harmful if swallowed, in contact with skin or if inhaled.

2,2'-oxybisethan	ol

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Skin	LD50	11890 mg/kg		Rabbit	

### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/irritation

Causes serious eye irritation.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Suspected of causing genetic defects.

#### Carcinogenicity

May cause cancer.

#### **Reproductive toxicity**

Based on available data the classification criteria are not met.

#### Toxicity for specific target organ - single exposure

May cause respiratory irritation. May cause damage to organs.

#### Toxicity for specific target organ - repeated exposure

May cause damage to the kidneys through prolonged or repeated exposure if swallowed.

#### **Aspiration hazard**

Based on available data the classification criteria are not met.

## **SECTION 12: Ecological information**

12.1. Toxicity

not available

according to Regulation (EC) No 1907/2006 (REACH) as amended

## EXCELLYSE Easy (RUO)

Creation date Revision date Revision no. Version

1

Acute toxicity

## 2 2'-ovybicathana

21st July 2023

Parameter	Value	Exposure time	Species	Environment		
LC50	75.2 mg/kg	96 hours	Fish (Pimephales promelas)			

## 12.2. Persistence and degradability

not available

## 12.3. Bioaccumulative potential

## Not available.

12.4. Mobility in soil

## Not available.

## 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

## 12.6. Other adverse effects

Not available.

## **SECTION 13: Disposal considerations**

## **13.1.** Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

## Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

## **SECTION 14: Transport information**

### 14.1. UN number

not subject to transport regulations

14.2. UN proper shipping name not relevant

## 14.3. Transport hazard class(es) not relevant

- 14.4. Packing group not relevant
- 14.5. Environmental hazards not relevant
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code not relevant

according to Regulation (EC) No 1907/2006 (REACH) as amended

## EXCELLYSE Easy (RUO)

Creation date Revision date Revision no. Version

1

## SECTION 15: Regulatory information

21st July 2023

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Clean Air Act 1993 as amended. The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Public health act 1961. Environmental Protection Act 1990 as amended. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

## Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

forma	Idabuda	0/
Torma	Idehvde	

Restriction	Conditions of restriction
28	Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30: 1. Shall not be placed on the market, or used, — as substances,
	<ul> <li>as constituents of other substances, or,</li> </ul>
	- in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:
	<ul> <li>– either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,</li> </ul>
	<ul> <li>the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.</li> </ul>
	Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:
	"Restricted to professional users".
	<ul> <li>2. By way of derogation, paragraph 1 shall not apply to:</li> <li>(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;</li> <li>(b) cosmetic products as defined by Directive 76/768/EEC;</li> <li>(c) the following fuels and oil products:</li> </ul>
	<ul> <li>motor fuels which are covered by Directive 98/70/EC,</li> <li>mineral oil products intended for use as fuel in mobile or fixed combustion plants,</li> <li>fuels sold in closed systems (e.g. liquid gas bottles);</li> </ul>
	(d) artists' paints covered by Regulation (EC) No 1272/2008;
	(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date.
	(f) devices covered by Regulation (EU) 2017/745.

according to Regulation (EC) No 1907/2006 (REACH) as amended

## EXCELLYSE Easy (RUO)

Creation date Revision date 21st July 2023

Revision no. Version

1

formaldehyde	
Restriction	Conditions of restriction
72	1. Shall not be placed on the market after 1 November 2020 in any of the following:
	(a) clothing or related accessories;
	(b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing;
	(c) footwear;
	if the clothing, related accessory, textile other than clothing or footwear is for use by consumers and
	the substance is present in a concentration, measured in homogeneous material, equal to or greate
	than that specified for that substance in Appendix 12.
	2. By way of derogation, in relation to the placing on the market of formaldehyde [CAS No 50-00-0]
	in jackets, coats or upholstery, the relevant concentration for the purposes of paragraph 1 shall be
	300 mg/kg during the period between 1 November 2020 and 1 November 2023. The concentration specified in Appendix 12 shall apply thereafter.
	specified in Appendix 12 shall apply thereafter.
	3. Paragraph 1 shall not apply to:
	(a) clothing, related accessories or footwear, or parts of clothing, related accessories or footwear,
	made exclusively of natural leather, fur or hide;
	(b) non-textile fasteners and non-textile decorative attachments;
	(c) second-hand clothing, related accessories, textiles other than clothing or footwear
	(d) wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners.
	4. Paragraph 1 shall not apply to clothing, related accessories, textiles other than clothing, or
	footwear within the scope of Regulation (EU) 2016/425 of the European Parliament and of the
	Council (*) or Regulation (EU) 2017/745 of the European Parliament and of the Council (**).
	5. Paragraph 1(b) shall not apply to disposable textiles. 'Disposable textiles' means textiles that are
	designed to be used only once or for a limited time and are not intended for subsequent use for the same or a similar purpose.
	same of a similar purpose.
	6. Paragraphs 1 and 2 shall apply without prejudice to the application of any stricter restrictions set
	out in this Annex or in other applicable Union legislation.
	7. The Commission shall review the exemption in paragraph 3(d) and, if appropriate, modify that point accordingly.
	(*) Regulation (EU) 2016/425 of the European Parliament and of the Council of of 9 March 2016 on
	personal protective equipment and repealing Council Directive 89/686/EEC (OJ L 81, 31.3.2016, p.
	(**) Regulation (EU) 2017/745 of the European Parliament and of the Council of 5 April 2017 on
	medical devices, amending Directive 2001/83/EC, Regulation (EC) No 178/2002 and Regulation (EC
	No 1223/2009 and repealing Council Directives 90/385/EEC and 93/42/EEC (OJ L 117, 5.5.2017, p.
	1).

## methanol

Restriction	Conditions of restriction
	Shall not be placed on the market to the general public after 9 May 2019 in windscreen washing or defrosting fluids, in a concentration equal to or greater than 0,6 % by weight.

# **15.2.** Chemical safety assessment not available

## **SECTION 16: Other information**

A list of standard risk phrases used in the safety data sheet	
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

according to Regulation (EC) No 1907/2006 (REACH) as amended

#### EXCELLYSE Easy (RUO) Creation date Revision no. 21st July 2023 Revision date Version 1 H341 Suspected of causing genetic defects. H350 May cause cancer. H370 Causes damage to organs. H371 May cause damage to organs. H373 May cause damage to the kidneys through prolonged or repeated exposure if swallowed. H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled. H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled. Guidelines for safe handling used in the safety data sheet P201 Obtain special instructions before use. P260 Do not breathe vapours. P264 Wash hands and exposed parts of the body thoroughly after handling. P280 Wear protective gloves/eye protection/face protection. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P302+P352 IF ON SKIN: Wash with plenty of water and soap. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention. P314 Get medical advice/attention if you feel unwell. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. Other important information about human health protection The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations. Key to abbreviations and acronyms used in the safety data sheet European agreement concerning the international carriage of dangerous goods by ADR road BCF **Bioconcentration Factor** CAS Chemical Abstracts Service Regulation (EC) No 1272/2008 on classification, labelling and packaging of CLP substance and mixtures FC Identification code for each substance listed in EINECS EINECS European Inventory of Existing Commercial Chemical Substances EmS Emergency plan FU **European Union EuPCS European Product Categorisation System** IATA International Air Transport Association International Code For The Construction And Equipment of Ships Carrying IBC **Dangerous Chemicals** ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods INCI International Nomenclature of Cosmetic Ingredients ISO International Organization for Standardization IUPAC International Union of Pure and Applied Chemistry Lethal concentration of a substance in which it can be expected death of 50% of the LC 50 population Lethal dose of a substance in which it can be expected death of 50% of the ID50 population log Kow Octanol-water partition coefficient MARPOL International Convention for the Prevention of Pollution from Ships OEL **Occupational Exposure Limits** PBT Persistent, Bioaccumulative and Toxic ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Agreement on the transport of dangerous goods by rail RID

according to Regulation (EC) No 1907/2006 (REACH) as amended

#### EXCELLYSE Easy (RUO) Creation date Revision no. 21st July 2023 Revision date Version 1 UN Four-figure identification number of the substance or article taken from the UN Model Regulations Substances of unknown or variable composition, complex reaction products or UVCB biological materials VOC Volatile organic compounds vPvB Very Persistent and very Bioaccumulative Acute Tox. Acute toxicity Carc. Carcinogenicity Flam. Liq. Flammable liquid Muta. Germ cell mutagenicity Skin Corr. Skin corrosion Skin Sens. Skin sensitization STOT RE Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure

## **Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

**Recommended restrictions of use** 

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

## The changes (which information has been added, deleted or modified)

The first edition of the GB version of the safety data sheet.

## More information

Classification procedure - calculation method.

## Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.