

Technical Data Sheet

Product

Anti-Hu IgM PerCP-Cy™5.5

Cat. Number/Size

T9-320-C025 **0.025 mg**
T9-320-C100 **0.1 mg**

For Research Use Only.

Not for use in diagnostic or therapeutic procedures.

Antigen

IgM

Clone

CH2

Format

PerCP-Cy™5.5

Reactivity

Human

Application

FC (QC tested)

Application details

Flow cytometry: Recommended dilution: 1-4 µg/ml. Extracellular and intracellular staining.

Excitation laser

blue (488 nm)

Isotype

Mouse IgG1

Specificity

The antibody CH2 reacts with Fc fragment of human IgM.

Other names

immunoglobulin M

Immunogen

Purified human IgM.

Concentration

0.1 mg/ml

Preparation

Purified antibody is conjugated with activated tandem dye of activated Peridinin-Chlorophyll Protein-Cyanine 5.5 (PerCP-Cy™5.5) under optimum conditions and unconjugated antibody and free fluorochrome are removed by size-exclusion chromatography.

Formulation

Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide

Storage and handling

Store at 2-8°C. Protect from prolonged exposure to light. Do not freeze.

Images and References

www.exbio.cz

The product is intended For Research Use Only. Diagnostic or therapeutic applications are strictly forbidden. Products shall not be used for resale or transfer to third parties either as a stand-alone product or as a manufacture component of another product without written consent of EXBIO Praha, a.s. EXBIO Praha, a.s. will not be held responsible for patent infringement or any other violations of intellectual property rights that may occur with the use of the products. Orders for all products are accepted subject to the Term and Conditions available at www.exbio.cz. EXBIO, EXBIO Logo, and all other trademarks are property of EXBIO Praha, a.s.

Cy™ and CyDye™ are registered trademarks of Cytiva.