



Technical Data Sheet

Product	Anti-Hu CD14 PerCP-Cy™5.5	
Cat. Number/Size	T9-293-T025	25 tests
	T9-293-T100	100 tests
	For Research Use Only.	
	Not for use in diagnostic or therapeutic procedures.	
Antigen	CD14	
Clone	MEM-15	
Format	PerCP-Cy™5.5	
Reactivity	Non-human primates, Human	
Application	FC (QC tested)	
Application details	Flow cytometry: The reagent is designed for analysis of human blood cells using 4 µl reagent / 100 µl of whole blood or 10 ⁶ cells in a suspension. The content of a vial (0.4 ml) is sufficient for 100 tests.	
Excitation laser	blue (488 nm)	
Isotype	Mouse IgG1 kappa	
Specificity	The antibody MEM-15 reacts with CD14, a 53-55 kDa GPI (glycosylphosphatidylinositol)-linked extracellular membrane glycoprotein expressed on monocytes, macrophages and weakly on granulocytes; also expressed by most tissue macrophages. The antibody MEM-15 also reacts with soluble forms of CD14 found in serum and in the urine of some nephrotic patients.	
Other names	LPS-receptor, LPSR, MCLR	
Workshop	HLDA III: WS Code M 252; HLDA IV: WS Code M 113; HLDA IV: WS Code NL 90; HLDA IV: WS Code T 53; HLDA V: WS Code M MA086; HLDA VI: WS Code M MA94	
Immunogen	A crude mixture of human urinary proteins precipitated by ammonium sulphate from the urine of a patient suffering from proteinuria.	
Entrez Gene ID	929	
Gene name	CD14	
NCBI Full Gene Name	CD14 molecule	
UniProt ID	P08571	
Preparation	Purified antibody is conjugated with activated tandem dye of activated Peridinin-Chlorophyll Protein-Cyanine 5.5 (PerCP-Cy™5.5) under optimum conditions and unconjugated antibody and free fluorochrome are removed by size-exclusion chromatography.	
Formulation	Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	
Storage and handling	Store at 2-8°C. Protect from prolonged exposure to light. Do not freeze.	
Images and References	www.exbio.cz	

The product is intended For Research Use Only. Diagnostic or therapeutic applications are strictly forbidden. Products shall not be used for resale or transfer to third parties either as a stand-alone product or as a manufacture component of another product without written consent of EXBIO Praha, a.s. EXBIO Praha, a.s. will not be held responsible for patent infringement or any other violations of intellectual property rights that may occur with the use of the products. Orders for all products are accepted subject to the Term and Conditions available at www.exbio.cz. EXBIO, EXBIO Logo, and all other trademarks are property of EXBIO Praha, a.s.

Cy™ and CyDye™ are registered trademarks of Cytiva.