

**Technical Data Sheet** 

Product Anti-Hu IgG (Fc) FITC

Cat. Number/Size **1F-536-C025 0.025 mg** 

1F-536-C100 0.1 mg

For Research Use Only.

Not for use in diagnostic or therapeutic procedures.

Antigen IgG (Fc)
Clone EM-07
Format FITC
Reactivity Human

Application FC (QC tested)

Application details Flow cytometry: Recommended dilution: 1-4 µg/ml.

Excitation laser blue (488 nm)
Isotype Mouse IgG1

Specificity The mouse monoclonal antibody EM-07 reacts with Fc part of human IgG heavy chain and with isolated Fc

fragments.

Other names Immunoglobulin G Fc fragment

Immunogen Fusion protein of human IgG Fc fragment.

Concentration 0.1 mg/ml

Preparation Purified antibody is conjugated with fluorescein isothiocyanate (FITC) under optimum conditions and

unconjugated antibody and free fluorochrome are removed by size-exclusion chromatography.

Formulation Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide Storage and handling Store at 2-8°C. Protect from prolonged exposure to light. Do not freeze.

Images and References www.exbio.cz

The product is intended For Research Use Only. Diagnostic or therapeutic applications are strictly forbidden. Products shall not be used for resale or transfer to third parties either as a stand-alone product or as a manufacture component of another product without written consent of EXBIO Praha, a.s. EXBIO Praha, a.s. will not be held responsible for patent infringement or any other violations of intellectual property rights that may occur with the use of the products. Orders for all products are accepted subject to the Term and Conditions available at www.exbio.cz. EXBIO, EXBIO Logo, and all other trademarks are property of EXBIO Praha, a.s.

Revision date: 2025-01-02