



	Technical Data Sheet	
Product	Anti-Hu CD20 APC	
Cat. Number/Size	1A-414-T025	25 tests
	1A-414-T100	100 tests
	For Research Use Only.	
	Not for use in diagnostic or therapeutic procedures.	
Antigen	CD20	
Clone	LT20	
Format	APC	
Reactivity	Human	
Application	FC (QC tested)	
Application details	Flow cytometry: The reagent is designed for analysis of human blood cells using 10 µl reagent / 100 µl of whole blood or 10 ⁶ cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests.	
Excitation laser	red (633 nm)	
Isotype	Mouse IgG2a	
Specificity	The antibody LT20 reacts with an extracellular epitope of CD20 (Bp35), a 33-37 kDa non-glycosylated membrane receptor with four transmembrane domains, expressed on B lymphocytes (it is lost on plasma cells), follicular dendritic cells, and at low levels on peripheral blood T lymphocytes.	
Other names	B1, S7, MS4A, Bp35, CVID5, LEU-16	
Immunogen	Normal human lymphocytes from lymph node.	
Entrez Gene ID	931	
Gene name	CD20	
NCBI Full Gene Name	MS4A1	
UniProt ID	P11836	
Preparation	Purified antibody is conjugated with activated allophycocyanin (APC) under optimum conditions and unconjugated antibody and free fluorochrome are removed by size-exclusion chromatography.	
Formulation	Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	
Storage and handling	Store at 2-8°C. Protect from prolonged exposure to light. Do not freeze.	
Images and References	www.exbio.cz	

The product is intended For Research Use Only. Diagnostic or therapeutic applications are strictly forbidden. Products shall not be used for resale or transfer to third parties either as a stand-alone product or as a manufacture component of another product without written consent of EXBIO Praha, a.s. EXBIO Praha, a.s. will not be held responsible for patent infringement or any other violations of intellectual property rights that may occur with the use of the products. Orders for all products are accepted subject to the Term and Conditions available at www.exbio.cz. EXBIO, EXBIO Logo, and all other trademarks are property of EXBIO Praha, a.s.