



	Technical Data Sheet	
Product	Anti-Hu CD173 Purified	
Cat. Number/Size	11-921-C100	0.1 mg
	For Research Use Only.	
	Not for use in diagnostic or therapeutic procedures.	
Antigen	CD173	
Clone	MEM-195	
Format	Purified	
Reactivity	Human	
Application	FC (QC tested)	
Application details	Flow cytometry: Recommended dilution: 2-5 µg/ml.	
Isotype	Mouse IgM	
Specificity	The antibody MEM-195 reacts with CD173 (H2), an extracellular saccharide antigen expressed mainly during early hematopoiesis; it is also expressed on endothelial cells.	
Other names	Lewis Y, blood group H2 antigen, LeY	
Workshop	HLDA VII	
Immunogen	Human thrombocytes	
Concentration	1 mg/ml	
Preparation	Purified by sequential steps of physicochemical fractionation (differential precipitation and solid-phase chromatography methods).	
Formulation	Tris buffered saline (TBS), pH 8.0, 15 mM sodium azide	
Storage and handling	Store at 2-8°C. Do not freeze.	
Images and References	www.exbio.cz	

The product is intended For Research Use Only. Diagnostic or therapeutic applications are strictly forbidden. Products shall not be used for resale or transfer to third parties either as a stand-alone product or as a manufacture component of another product without written consent of EXBIO Praha, a.s. EXBIO Praha, a.s. will not be held responsible for patent infringement or any other violations of intellectual property rights that may occur with the use of the products. Orders for all products are accepted subject to the Term and Conditions available at www.exbio.cz. EXBIO, EXBIO Logo, and all other trademarks are property of EXBIO Praha, a.s.