

Technical Data Sheet

Product	Anti-Ku80 Antigen Purified	
Cat. Number/Size	11-496-C025	0.025 mg
	11-496-C100	0.1 mg
	For Research Use Only.	
	Not for use in diagnostic or therapeutic procedures.	

Antigen	Ku80 Antigen
Clone	MEM-54
Format	Purified
Reactivity	Human
Application	ICC, IP
Application details	Immunocytochemistry: Recommended dilution: 2 µg/ml, PFA-fixation possible.
Isotype	Mouse IgG2a
Specificity	The antibody MEM-54 reacts with Ku80, a 80 kDa subunit of Ku autoantigen (heterodimer of 72 and 87 kDa intracellular polypeptides). Ku autoantigen is involved in DNA repair and in V(D)J recombination through its ability to bind DNA double-strand breaks.
Other names	DNA helicase p80
Immunogen	human whole T-lymphocytes
Entrez Gene ID	7520
Gene name	XRCC5
NCBI Full Gene Name	X-ray repair cross complementing 5
UniProt ID	P13010

Concentration	1 mg/ml
Preparation	Purified by protein-A affinity chromatography.
Formulation	Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
Storage and handling	Store at 2-8°C. Do not freeze.

Images and References www.exbio.cz

The product is intended For Research Use Only. Diagnostic or therapeutic applications are strictly forbidden. Products shall not be used for resale or transfer to third parties either as a stand-alone product or as a manufacture component of another product without written consent of EXBIO Praha, a.s. EXBIO Praha, a.s. will not be held responsible for patent infringement or any other violations of intellectual property rights that may occur with the use of the products. Orders for all products are accepted subject to the Term and Conditions available at www.exbio.cz. EXBIO, EXBIO Logo, and all other trademarks are property of EXBIO Praha, a.s.