



	Technical Data Sheet	
Product	Anti-HLA-G Biotin	
Cat. Number/Size	1B-499-C025	0.025 mg
	1B-499-C100	0.1 mg
	For Research Use Only.	
	Not for use in diagnostic or therapeutic procedures.	
Antigen	HLA-G	
Clone	4H84	
Format	Biotin	
Reactivity	Human	
Application	WB, IP, IHC-P, ICC, ELISA, IHC-F, FC	
Application details	Western blotting: Recommended dilution: 1-2 µg/ml. Flow cytometry: Recommended dilution: 2-5 µg/ml. Intracellular staining or surface staining after acid treatment (Polakova K. et al. Molecular immunology 1993; 1223-30).	
Isotype	Mouse IgG1	
Specificity	The mouse monoclonal antibody 4H84 recognizes an extracellular epitope of HLA-G molecule (39 kDa). HLA-G belongs to the MHC Class I molecules (MHC Class Ib; nonclassical) and it is expressed on the surface of trophoblast cells.	
Immunogen	amino acids 61-83 of HLA-G of human origin	
Entrez Gene ID	3135	
Gene name	HLA-G	
NCBI Full Gene Name	major histocompatibility complex, class I, G	
UniProt ID	P17693	
Concentration	1 mg/ml	
Preparation	Purified antibody is conjugated with biotin LC-NHS ester under optimum conditions and unconjugated antibody and free biotin are removed by size-exclusion chromatography.	
Formulation	Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	
Storage and handling	Store at 2-8°C. Do not freeze.	
Images and References	www.exbio.cz	

The product is intended For Research Use Only. Diagnostic or therapeutic applications are strictly forbidden. Products shall not be used for resale or transfer to third parties either as a stand-alone product or as a manufacture component of another product without written consent of EXBIO Praha, a.s. EXBIO Praha, a.s. will not be held responsible for patent infringement or any other violations of intellectual property rights that may occur with the use of the products. Orders for all products are accepted subject to the Term and Conditions available at www.exbio.cz. EXBIO, EXBIO Logo, and all other trademarks are property of EXBIO Praha, a.s.

This product is for research and in vitro experimental use only. It is not to be used for any other commercial purpose. Use of this product to produce products for sale or for therapeutic or drug discovery purposes is prohibited. In order to obtain a license to use this product for commercial purposes, contact The Regents of the University of California.