



	Technical Data Sheet	
Product	<b>Anti-Hu CD16 Purified</b>	
Cat. Number/Size	<b>11-646-C025</b>	<b>0.025 mg</b>
	<b>11-646-C100</b>	<b>0.1 mg</b>
	<b>For Research Use Only.</b>	
	<b>Not for use in diagnostic or therapeutic procedures.</b>	
Antigen	CD16	
Clone	3G8	
Format	Purified	
Reactivity	Non-human primates, Human	
Application	FC (QC tested), IP, IHC-F	
Application details	Flow cytometry: Recommended dilution: 6 µg/ml. Immunohistochemistry (frozen sections): Acetone fixation.	
Isotype	Mouse IgG1 kappa	
Specificity	The mouse monoclonal antibody 3G8 recognizes an extracellular epitope of CD16, a low affinity receptor for aggregated IgG (FcgammaRIII antigen). CD16 exists in two different isoforms: CD16a (FcgammaRIIIA; 50-65 kDa; expressed on NK-cells, monocytes and macrophages) and CD16b (FcgammaRIIIB; 48 kDa; mainly expressed on neutrophils). Regarding CD16-158V/F polymorphism, the antibody 3G8 detects both 158V and 158F allotype on natural NK cells.	
Other names	FcgammaRIII, IGFR3, FCRIII	
Workshop	HLDA V: WS Code NK80	
Immunogen	Human neutrophils	
Concentration	1 mg/ml	
Preparation	Purified by protein-A affinity chromatography.	
Formulation	Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide	
Storage and handling	Store at 2-8°C. Do not freeze.	
Images and References	www.exbio.cz	

The product is intended For Research Use Only. Diagnostic or therapeutic applications are strictly forbidden. Products shall not be used for resale or transfer to third parties either as a stand-alone product or as a manufacture component of another product without written consent of EXBIO Praha, a.s. EXBIO Praha, a.s. will not be held responsible for patent infringement or any other violations of intellectual property rights that may occur with the use of the products. Orders for all products are accepted subject to the Term and Conditions available at www.exbio.cz. EXBIO, EXBIO Logo, and all other trademarks are property of EXBIO Praha, a.s.