

Technical Data Sheet

Product	Anti-HLA-DR/DP FITC	
Cat. Number/Size	1F-239-T025	25 tests
	1F-239-T100	100 tests
	For Research Use Only.	
	Not for use in diagnostic or therapeutic procedures.	
Antigen	HLA-DR/DP	
Clone	HL-38	
Format	FITC	
Reactivity	Pig, Human	
Application	FC (QC tested)	
Application details	Flow cytometry: The reagent is designed for analysis of human blood cells using 20 µl reagent / 100 µl of whole blood or 10 ⁶ cells in a suspension. The content of a vial (2 ml) is sufficient for 100 tests.	
Excitation laser	blue (488 nm)	
Isotype	Mouse IgG2a	
Specificity	The antibody HL-38 recognizes an extracellular common epitope on beta-chain of human HLA-DR and HLA-DP. DR and DP are the isotypes of human MHC Class II molecules expressed on antigen-presenting cells (APC; dendritic cells, B lymphocytes, monocytes, macrophages).	
Immunogen	Raji Burkitt's lymphoma cell line	
Preparation	The purified antibody is conjugated with fluorescein isothiocyanate (FITC) under optimum conditions. The conjugate is purified by size-exclusion chromatography.	
Formulation	Stabilizing phosphate buffered saline (PBS) solution containing 15 mM sodium azide	
Storage and handling	Store in the dark at 2-8°C. Do not freeze. Avoid prolonged exposure to light. Do not use after expiration date stamped on vial label.	
Images and References	www.exbio.cz	

The product is intended For Research Use Only. Diagnostic or therapeutic applications are strictly forbidden. Products shall not be used for resale or transfer to third parties either as a stand-alone product or as a manufacture component of another product without written consent of EXBIO Praha, a.s. EXBIO Praha, a.s. will not be held responsible for patent infringement or any other violations of intellectual property rights that may occur with the use of the products. Orders for all products are accepted subject to the Term and Conditions available at www.exbio.cz. EXBIO, EXBIO Logo, and all other trademarks are property of EXBIO Praha, a.s.