

Technical Data Sheet

Product Anti-Hu CD15 PerCP-Cy™5.5

Cat. Number/Size **T9-213-T025 25 tests** 

T9-213-T100 100 tests

For Research Use Only.

Not for use in diagnostic or therapeutic procedures.

Antigen CD15

Clone MEM-158
Format PerCP-Cy<sup>™</sup>5.5

Reactivity Human

Negative species Pig, Sheep, Cow Application FC (QC tested)

Application details Flow cytometry: The reagent is designed for analysis of human blood cells using 4 μl reagent / 100 μl of

whole blood or 10<sup>6</sup> cells in a suspension. The content of a vial (0.4 ml) is sufficient for 100 tests.

Excitation laser blue (488 nm)
Isotype Mouse IgM

Specificity The antibody MEM-158 reacts with CD15, a cell membrane molecule 3-fucosyl-N-acetyllactosamine (3-FAL)

strongly expressed on the surface of granulocytes, monocytes, macrophages, mast cells; it is also present on

Langerhans cells and some myeloid precursors cells.

Other names Lewis x Blood Group antigen, Le(x), SSEA-1, 3-fucosyl-N-acetyllactosamine

Workshop HLDA VI: WS Code AS A053

Immunogen Human granulocytes

Preparation Purified antibody is conjugated with activated tandem dye of activated Peridinin-Chlorophyll Protein-

Cyanine 5.5 (PerCP-Cy™5.5) under optimum conditions and unconjugated antibody and free fluorochrome

are removed by size-exclusion chromatography.

Formulation Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide

Storage and handling Store at 2-8°C. Protect from prolonged exposure to light. Do not freeze.

Images and References www.exbio.cz

The product is intended For Research Use Only. Diagnostic or therapeutic applications are strictly forbidden. Products shall not be used for resale or transfer to third parties either as a stand-alone product or as a manufacture component of another product without written consent of EXBIO Praha, a.s. EXBIO Praha, a.s. will not be held responsible for patent infringement or any other violations of intellectual property rights that may occur with the use of the products. Orders for all products are accepted subject to the Term and Conditions available at www.exbio.cz. EXBIO, EXBIO Logo, and all other trademarks are property of EXBIO Praha, a.s.

Cy<sup>™</sup> and CyDye<sup>™</sup> are registered trademarks of Cytiva.

Revision date: 2025-01-02