

Technical Data Sheet

Product	Anti-LIME1 Purified	
Cat. Number/Size	11-401-C025	0.025 mg
	11-401-C100	0.1 mg
	For Research Use Only.	
	Not for use in diagnostic or therapeutic procedures.	

Antigen	LIME1
Clone	LIME-10
Format	Purified
Reactivity	Human
Application	WB, IHC(P), FC
Application details	Immunohistochemistry (paraffin sections): Recommended dilution: 10 µg/ml. Western blotting: Reducing conditions; recommended dilution: 1 µg/ml. Flow cytometry: Recommended dilution: 1-5 µg/ml.
Isotype	Mouse IgG2a
Specificity	The antibody LIME-10 reacts with the cytoplasmic domain of LIME, a 30 kDa Lck-interacting transmembrane adaptor expressed by T cells.
Other names	LITA1
Immunogen	COOH-terminal peptide comprising residues 281-296 of the human LIME conjugated to keyhole limpet hemocyanin.
Entrez Gene ID	54923
Gene name	LIME1
NCBI Full Gene Name	Lck interacting transmembrane adaptor 1
UniProt ID	Q9H400

Concentration	1 mg/ml
Preparation	Purified by protein-A affinity chromatography.
Formulation	Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
Storage and handling	Store at 2-8°C. Do not freeze.

Images and References www.exbio.cz

The product is intended For Research Use Only. Diagnostic or therapeutic applications are strictly forbidden. Products shall not be used for resale or transfer to third parties either as a stand-alone product or as a manufacture component of another product without written consent of EXBIO Praha, a.s. EXBIO Praha, a.s. will not be held responsible for patent infringement or any other violations of intellectual property rights that may occur with the use of the products. Orders for all products are accepted subject to the Term and Conditions available at www.exbio.cz. EXBIO, EXBIO Logo, and all other trademarks are property of EXBIO Praha, a.s.