

Technical Data Sheet

Product	<b>Anti-MICA/MICB APC</b>	
Cat. Number/Size	<b>1A-822-C100</b>	<b>0.1 mg</b>
	<b>For Research Use Only.</b>	
	<b>Not for use in diagnostic or therapeutic procedures.</b>	

---

Antigen	MICA/MICB
Clone	6D4
Format	APC
Reactivity	Human
Application	FC (QC tested)
Application details	Flow cytometry: Recommended dilution: 1-5 µg/ml.
Excitation laser	red (633 nm)
Isotype	Mouse IgG2a
Specificity	The mouse monoclonal antibody 6D4 recognizes a common extracellular epitope on MICA and MICB glycoproteins, transmembrane ligands of CD314 (NKG2D), and is able to block CD314-mediated activation of NK cells and cytotoxic T cells.
Immunogen	Transfected C1R cells expressing MICA

---

Concentration	0.1 mg/ml
Preparation	Purified antibody is conjugated with activated allophycocyanin (APC) under optimum conditions and unconjugated antibody and free fluorochrome are removed by size-exclusion chromatography.
Formulation	Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
Storage and handling	Store at 2-8°C. Protect from prolonged exposure to light. Do not freeze.

---

Images and References	<a href="http://www.exbio.cz">www.exbio.cz</a>
-----------------------	--

---

The product is intended For Research Use Only. Diagnostic or therapeutic applications are strictly forbidden. Products shall not be used for resale or transfer to third parties either as a stand-alone product or as a manufacture component of another product without written consent of EXBIO Praha, a.s. EXBIO Praha, a.s. will not be held responsible for patent infringement or any other violations of intellectual property rights that may occur with the use of the products. Orders for all products are accepted subject to the Term and Conditions available at [www.exbio.cz](http://www.exbio.cz). EXBIO, EXBIO Logo, and all other trademarks are property of EXBIO Praha, a.s.