

Technical Data Sheet

Product	Anti-AGR2/AGR3 Purified	
Cat. Number/Size	11-562-C025	0.025 mg
	11-562-C100	0.1 mg
	For Research Use Only.	
	Not for use in diagnostic or therapeutic procedures.	

Antigen	AGR2/AGR3
Clone	AGR3.4
Format	Purified
Reactivity	Human
Application	WB, IHC(P), ICC
Application details	Immunohistochemistry (paraffin sections): Recommended dilution: 5 µg/ml; Positive tissue: human colon. Western blotting: Recommended dilution: 1 µg/ml; positive control: T47D breast cancer cell line, negative control: H1299 lung carcinoma cell line. Immunocytochemistry: Recommended dilution: 1 µg/ml; positive control: T47D breast cancer cell line, negative control: H1299 lung carcinoma cell line.
Isotype	Mouse IgG1
Specificity	The antibody AGR3.4 recognizes the PLMII epitope of AGR3 (AG3) and AGR2 (AG2) proteins (19-20 kDa); secreted cytoplasmic proteins which can serve as markers of carcinogenesis.
Other names	AG2, AG3, HAG2, HAG3
Immunogen	Purified human AGR3 protein

Concentration	1 mg/ml
Preparation	Purified by protein-A affinity chromatography.
Formulation	Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
Storage and handling	Store at 2-8°C. Do not freeze.

Images and References	www.exbio.cz
-----------------------	--

The product is intended For Research Use Only. Diagnostic or therapeutic applications are strictly forbidden. Products shall not be used for resale or transfer to third parties either as a stand-alone product or as a manufacture component of another product without written consent of EXBIO Praha, a.s. EXBIO Praha, a.s. will not be held responsible for patent infringement or any other violations of intellectual property rights that may occur with the use of the products. Orders for all products are accepted subject to the Term and Conditions available at www.exbio.cz. EXBIO, EXBIO Logo, and all other trademarks are property of EXBIO Praha, a.s.