

Technical Data Sheet

Product **Anti-Hu CD41/CD61 (PAC-1 epitope) PerCP**
Cat. Number/Size **PC-145-T100 100 tests**
For Research Use Only.
Not for use in diagnostic or therapeutic procedures.

Antigen	CD41/CD61 (PAC-1 epitope)
Clone	PAC-1
Format	PerCP
Reactivity	Human
Application	FC (QC tested)
Application details	Flow cytometry: The reagent is designed for analysis of human blood cells using 10 µl reagent / 100 µl of whole blood or 10 ⁶ cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests.
Excitation laser	blue (488 nm)
Isotype	Mouse IgM kappa
Specificity	The mouse monoclonal antibody PAC-1 recognizes an extracellular activation-induced conformational epitope PAC-1 on CD41/CD61 complex (gpIIb/IIIa), also known as integrin alpha IIb beta 3, a receptor which mediates platelet aggregation.
Other names	platelet GPIIb, Integrin alpha-lib, GPalpha IIb, GPIIb, GT, GP3A, platelet GPIIIa
Immunogen	Human platelets
Preparation	Purified antibody is conjugated with activated Peridinin-Chlorophyll Protein (PerCP) under optimum conditions and unconjugated antibody and free fluorochrome are removed by size-exclusion chromatography.
Formulation	Stabilizing Tris buffered saline (TBS), pH 8.0, 15 mM sodium azide
Storage and handling	Store at 2-8°C. Protect from prolonged exposure to light. Do not freeze.
Images and References	www.exbio.cz

The product is intended For Research Use Only. Diagnostic or therapeutic applications are strictly forbidden. Products shall not be used for resale or transfer to third parties either as a stand-alone product or as a manufacture component of another product without written consent of EXBIO Praha, a.s. EXBIO Praha, a.s. will not be held responsible for patent infringement or any other violations of intellectual property rights that may occur with the use of the products. Orders for all products are accepted subject to the Term and Conditions available at www.exbio.cz. EXBIO, EXBIO Logo, and all other trademarks are property of EXBIO Praha, a.s.